
Qaan

Parts Manual

6.5 NH-RV GenSet



940-0222 4-81 (SPEC J-P) Replaces 10-79 (Spec J-N)

GENERAL INFORMATION


INSTRUCTIONS FOR ORDERING REPAIR PARTS

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, please furnish all information requested.

Always refer to the nameplate on your unit.

1. Always give the MODEL, SPEC NO. and SERIAL NO.



For handy reference, insert "YOUR" nameplate information in the spaces above.

- 2. Do not order by reference number; always use part number and description.
- 3. Give the part number, description and quantity needed of each item. If an older part cannot be identified, return the part prepaid to your dealer or nearest Onan Parts and Service Center. Print your name and address plainly on the package. Write a letter to the same address stating the reason for returning the part.
- 4. State definite shipping instructions. Any claim for loss or damage to your unit in transit should be filed promptly against the transportation company making the delivery. Shipments are complete unless the packing list indicates items are back ordered.

Prices are purposely omitted from this Parts Catalog due to the confusion resulting from fluctuating costs, import duties, sales taxes, exchange rates, etc.

For current parts prices, consult your Onan Dealer, Distributor or Parts and Service Center.

"En esta lista de partes los precios se omiten de proposito, ya que bastante confusion resulto de fluctuaciones de los precios, derechos aduanales, impuestos de venta, cambios extrajeros, etc."

Consiga los precios vigentes de su distribuidor de productos "ONAN."

Std. #36

INDEX

		LOCATION
INTRODUCTION	 	A4
GENERATOR SET DATA TABLE		
STANDARD PARTS SECTION		
Block, Cylinder	 	A6,A7
Breaker Box, Ignition (160-1210)		
Camshaft		
Carburetor Parts		
Cleaner, Air - Spec J		
Cleaner, Air - Begin Spec K	 	B1
Control - Spec J		
Control - Begin Spec K		
Crankshaft		
Exhaust System - Spec J		
Exhaust System - Begin Spec K		
Flywheel		
Fuel System		
Gearcase		
Generator		
Governor		
Housing, Air		
Ignition System		
Mounting Hardware, Generator Set	 	A8,A9
Oil Base		
Oil System	 	A5
Piston and Rod		
Pump Parts, Fuel (149-1541)		
Service Kits and Miscellaneous	 	C4
OPTIONAL PARTS SECTION		
Control, Remote Start		
Preheater, Carburetor Air		D2

940-0222 NH PARTS CATALOG (RV) INTRODUCTION

This Catalog applies to the Standard NH Recreational Vehicle Generator Set Parts are arranged in groups of related items. Each illustrated part is identified by a reference number corresponding to the same reference number in the parts list for that group. Parts illustrations are typical. Using the *Model* and *Spec No.* from the nameplate, select parts from this Catalog that apply to your set. Unless otherwise mentioned in the description, parts are interchangeable between models. Right and left sides are determined by *facing* the engine end (front) of the set.

GENERATOR SET DATA TABLE

MODEL AND SPEC NO.	TYPE	WATTS	VOLTS	HERTZ	WIRE	PHASE
5.0 NH-53CR/* 5.5 NH-53CR/*	Remote Remote	5000 5500	120/240 120/240	50 50	**	Single Single
6.5 NH-3CR/*	Remote	6500	120/240	60	**	Single


The Specification letter advances (A to B to C, etc.) with manufacturing changes.


NOTE: The letter R in the Model and Spec denotes Electric Start with Start-Stop at both the Set and the Remote Control.



This section contains the engine parts used on standard engines listed in the Engine Data table.

^{** -} Set is reconnectible for 120 volt, 2 wire; 240 volt, 2 wire; or 120/240 volt, 3 wire service.






NO.	NO.	USED	PART DESCRIPTION	
1	122-0320	1	Adapter, Oil Filter	
2	122-0321	1	Gasket, Oil Filter Adapter Mounting	
3	122-0323	1	Filter, Oil - Spin-on	
4	122-0347	1	Seal, Air-Oil Filter	
5	122-0360	1	Drain, Oil Filter	
6	502-0053	1	Elbow, Street - 45°	
7	SWITCH, LC	W OIL PR	ESSURE	
	309-0237	1	Spec J	
	309-0322	1	Begin Spec K	
8	800-0028	2	Screw, Cap - Hex Head (5/16- 18 x 1")	
9	526-0065	2	Washer, Flat - Copper (21/64" ID x 9/16" OD x 1/16")	
10	815-0194	2	Screw, Tapping - Hex Head (#10-32 x 3/8")	

REF.	PART NO.	QTY. USED	PART DESCRIPTION
11	LEAD, ELEC	CTRICAL -	LOW OIL PRESSURE SWITCH
	336-2379	1	Spec J
	336-3377	1	Begin Spec K
12	526-0066	1	Washer, Flat - Copper (25/64" ID x 9/16" OD x 1/16")
13	801-0050	1	Screw, Cap - Hex Head (3/8-24 x 1")
14	120-0140	1	Spring, Oil By-Pass Valve
15	120-0398	1	Valve, Oil By-Pass
16	850-0040	2	Washer, Lock - Spring (1/4")
17	800-0007	2	Screw, Cap - Hex Head (1/4-20 x 1")
18	120-0491	1	Pump, Oil (Components Not Sold Separately)
19	120-0161	1	Kit, Gasket - Oil Pump
20	CUP, OIL PI	UMP INTA	KE - (Includes Screw Pipe and Cup)
	120-0400	1	Spec J and K
	120-0413	1	Begin Spec M

CYLINDER BLOCK




940-0222 (APRIL 1981)

CYLINDER BLOCK

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
1	110-2340	1	Block Assembly, Cylinder	25	INSERT, VAL	VE SEAT	- INTAKE
			(Includes Parts Marked *)		110-1933	2	*Standard
2	123-0954	1	Cap and Valve, Breather		110-1933-02	2	.002" Oversize
3	123-0952	1	*Tube, Breather		110-1933-05	2	.005" Oversize
4	BAFFLE, BRE	ATHER			110-1933-10	2	.010" Oversize
	123-0865	1	Spec J		110-1933-25	2	.025" Oversize
	123-1417	1	*Begin Spec K	26	*GUIDE, VALV	/E	
5	110-1624	2	Cover, Valve		110-1939	2	Exhaust
6	110-1720	2	Gasket, Valve Cover Mounting		110-2281	2	Intake
7	517-0048	1	*Plug, Expansion	27	110-0539	4	Spring, Valve
8	520-0736	5	*Stud, Bearing Plate Mounting	28	110-0639	8	Lock, Valve Spring
9	110-1731	2	Gasket, Cylinder Head	29	TAPPET, VAL	_VE	
			Mounting		115-0006	4	Standard
10	HEAD, CYLIN	IDER			115-0006-05	4	.005" Oversize
			Spec J through N	30	110-0904	2	Rotator, Valve
	110-1912	1	Right Side	31	110-0893	2	Retainer, Valve Spring
	110-1913	1	Left Side	32	800-0011	2	Screw, Cap - Hex Head
			Begin Spec P				(1/4-20 x 2" lg)
	110-2713	2	Left and Right Side	33	123-0951	1	Clamp, Loop - Breather
11	809-0035	1	Screw, Tapping - Round				Tube Cap
			Head (#8 x 3/4" lg)	34	123-0958	2	Screen, Breather Tube
12	BEARING, CF	RANKSH	AFT REAR	35	509-0117	1	Seal, "O" Ring - Breather
	101-0450	1	*Standard				Tube
	101-0450-02	1	.002" Undersize	36	110-0068	2	*Gasket, Valve Guide -
	101-0450-10	1	.010" Undersize				Intake
	101-0450-20	1	.020" Undersize	37			AD MOUNTING
	101-0450-30	1	.030" Undersize		520-0717	8	3/8 x 1-7/8" lg
13	104-0575	2	*Washer, Thrust - Crankshaft		520-0773	12	3/8 x 2-9/16" lg
			Bearing	38			ANGED CRANKSHAFT
14	101-0415	1	*Gasket, Bearing Plate		101-0432	1	*Standard
15	101-0439	1	*Plate, Bearing - Rear		101-0432-02	1	.002" Undersize
16	101-0405	2	*Bearing, Camshaft		101-0432-10	1	.010" Undersize
17	509-0041	1	Seal, Oil - Crankshaft		101-0432-20	- 1	.020" Undersize
18	516-0072	4	*Pin, Bearing Stop		101-0432-30	1	.030" Undersize
19	104-0091	5	*Nut, Hex (3/8-24)	39	104-0776	As Req.	
20	526-0063	2	Washer, Flat (Copper) -	40	160-1190	. 1	Pointer, Timing
2			(17/64" ID x 7/16" OD	41	509-0090	2	Seal, Intake Valve
			x 1/32" Thk)	42	526-0250	20	Washer, Flat (.407" ID x
21	120-0680	1	*Tube, Oil - Crankcase				1" OD x 1/8" Thk)
22	VALVE INTAK	KE		43	526-0251	5	Washer, Flat (.406" ID x
	110-1718	2	Begin Spec K				.688" OD x .1345" Thk)
	110-1974	2	Spec J	44	526-0066	2	*Washer, Flat (Copper) -
23	110-1719	2	Valve, Exhaust				25/64" ID x 9/16" OD x
24	INSERT, VAL	VE SEAT	- EXHAUST				1/16" Thk)
	110-1716	2	*Standard	45	800-0046	2	*Screw, Cap - Hex Head
	110-1716-02	2	.002" Oversize				(3/8-16 x 1/2" lg)
	110-1716-05	2	.005" Oversize	46	821-0010	1	Screw, Self-Locking -
	110-1716-10	2	.010" Oversize				Hex Washer Head
	110-1716-25	2	.025" Oversize				(1/4-20 x 1/2" lg)
				47	104-0091	20	Nut, Hex (3/8-24)
				48	TUBE, BREA	THER	-
					503-0761	1	Spec J
					503-0857	1	Begin Spec K
				49	CLAMP, BRE		
					503-0760	2	Spec J
					503-0770	2	Begin Spec K
				* - Pa	rts Included in	110-2340	Cylinder Block Assembly.

OIL BASE & MOUNTING HARDWARE




940-0222 (APRIL 1981)

OIL BASE & MOUNTING HARDWARE


REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
1	BASE, OIL			21	#NUT, HEX	(7/16" - 14)	
,	102-0801	1	Spec J and K		862-0004	3	Spec J and K
	102-0801	1	Begin Spec M (Includes Parts				Begin Spec M
	102-0957	- 1	Marked *)		862-0004	2	Engine End
2	102-0693	1	*Gasket, Oil Base		862-0004	1	Generator End (Left Side)
3	526-0013	4	Washer, Flat (25/64" ID x		862-0004	1	Generator End (Right Side)
3	526-0013	4	1" OD x 1/16")	22	#WASHER,	LOCK - EIT	
4	CAP AND IN	DICATO			856-0012	3	Spec J and K
4	123-0489	1	Spec J and K				Begin Spec M
		1	Begin Spec M		856-0012	2	Engine End
-	123-1400	1	Gasket, Oil Fill Cap		856-0012	1	Generator End (Left Side)
5	123-0191	1	Valve, Oil Drain		856-0012	-1	Generator End (Right Side)
6	504-0092	1	Reducer, Pipe (1/2" x 3/8") -	23	#WASHER.	FLAT (29/6	4" ID x 1-1/2" OD x 1/8")
7	505-0019		Spec J and K		526-0014	3	Spec J and K
•	100 0050	1	*Gasket, Oil Pan Mounting -		5 To 10 To 1		Begin Spec M
8	102-0953		Begin Spec M		526-0014	2	Engine End
	100 0000				526-0014	1	Generator End (Left Side)
9	102-0889	1	*Pan, Oil Base - Begin Spec M *Screw, Cap - HWH		526-0014	1	Generator End (Right Side)
10	821-0018	20	(1/4-20 x 5/8") - Begin Spec M	24	#WASHER	FLAT (5/8"	ID x 1-1/2" OD x 1/16")
	000 0440		Terminal, Solderless - Ground		526-0198	6	Spec J and K
11	332-0142	1	Screw, Cap - Hex Head		020 0100	7.	Begin Spec M
12	800-0047	1			526-0198	4	Engine End
	050 0010		(3/81-6 x 5/8") - Begin Spec M Washer, Lock - EIT		526-0198	2	Generator End (Left Side)
13	856-0010	1			526-0198	1	Generator End (Right Side)
	51041051		(3/8") - Begin Spec M	25	#WASHER,	100000000000000000000000000000000000000	deliterator and (mg. and and)
14			RE MOUNTING (Includes Parts Marked #)	25	526-0286	1	Generator End (Left Side) -
	402-0435	1	Spec J and K		020 0200		Begin Spec M
	400 0477	1	Begin Spec M Engine End		526-0286	1	Generator End (Right Side) -
	402-0477	1	Generator End (Left Side)				Begin Spec M
	402-0478	1	Generator End (Right Side)	26	856-0016	1	#Washer, Lock - EIT (5/8") -
16	402-0480		ON - ENGINE END		000 00.0		Right Side Generator End -
15		2	Spec J and K				Begin Spec M
	402-0283	2	Begin Spec M	27	SCREW, CA	AP - HEX H	
10	402-0283		ON - GENERATOR END		800-0051	4	3/8-16 x 1-1/4" - Spec J and K
16		VIBHATT 1	Spec J and K		800-0064	4	3/8-16 x 4-1/2" - Begin Spec M
	402-0284	,	Begin Spec M	28	850-0050	4	Washer, Lock - Spring (3/8")
	100 0000	1	Left Side	29	STRAP, GR	OUND	
	402-0283	1			337-0049	1	Spec J and K
47	402-0283 #SPACER, SI		Right Side		337-0418	1	Begin Spec M
17		3	Spec J and K	30	815-0350	1	Screw, Tapping - Slotted Head
	402-0290	3	Begin Spec M	- 00	010 0000		(#10-32 x 3/8")
	400 0000	0		31	122-0345	1	Hose, Oil Drain - Optional
	402-0290	2	Engine End Generator End (Left Side)	32	PLATE, MC		
	402-0290	1		02	403-1219	1	Spec J and K
10	402-0290	1	Generator End (Right Side)		403-1484	1	Begin Spec M
18	#SNUBBER	0	Saca Land K	33	862-0001	1	Nut, Hex (1/4-20) -
	402-0282	3	Spec J and K	00	002 0001		Spec J and K
	100 0000	0	Begin Spec M	34	856-0008	1	Washer, Lock - EIT
	402-0282	2	Engine End	04	000 0000	10.50	(5/16") - Spec J and K
	402-0282	1	Generator End (Left Side)	35	#BOLT CA	BRIAGE (7	7/16-14 x 3-1/2") - Begin Spec M
40	402-0282	1	Generator End (Right Side)	55	816-0206	2	Engine End
19	800-0082	3	#Screw Cap - Hex Head		816-0206	1	Generator End (Left Side)
			(7/16-14 x 3-3/4") -		816-0206	1	Generator End (Right Side)
	500.0105	^	Spec J and K		010-0200		2010.210. 2.10 (1.19.11 0.00)
20	526-0195	3	#Washer, Flat (29/64" ID x	2 12		1. 400 000	7.011.0000
			3-1/4" OD x 1/8") -		arts Included		
			Spec J and K	# - P	arts included	in marowa	re Mounting Package

CRANKSHAFT AND FLYWHEEL




REF NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	104-0170	1	Screw, Cap - Hex Head (7/16-14 x 4" lg)
2	850-0055	1	Washer, Lock - Spring (7/16"
3	526-0262	1	Washer, Flat (15/32" ID x 1-1/4" OD x 1/4" Thk)
4	134-3333	1	Flywheel
5	518-0014	1	Ring, Retaining
6	104-0043	1	Washer, Gear
7	104-0032	1	Gear, Crankshaft
8	515-0227	1	Kit, Key
9	515-0001	1	Key, Woodruff
10	104-1314	1	Crankshaft

CAMSHAFT




REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	105-0396	1	Camshaft (Includes Center	6	510-0015	10	Ball, Fly - Governor
			Pin)	7	150-1520	1	Cup, Governor
2	150-0075	1	Pin, Camshaft	8	150-0078	1	Ring, Retaining
3	515-0001	1	Key, Camshaft Gear	9	150-1257	1	*Spacer, Flyball
4	105-0541	1	Washer, Thrust	10	150-0077	1	*Plate, Flyball
5	105-0332	1	Gear Assembly, Camshaft	11	150-1519	1	Hub, Governor Cup
			(Includes Parts Marked *)	* - P	arts Included	in the 105	-0332 Camshaft Gear Assembly.

PISTON AND ROD



REF	PART	QTY.	PART	REF	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION	NO.	NO.	USED	DESCRIPTION
1	PISTON AND	PIN (Inc	cludes Retaining Rings)	7	BEARING, H	ALF-CON	NNECTING ROD
4			Spec J through N		114-0188	4	Standard
	112-0180	2	Standard		114-0188-02	4	.002" Undersize
	112-0180-05	2	.005" Oversize		114-0188-10	4	.010" Undersize
	112-0180-10	2	.010" Oversize		114-0188-20	4	.020" Undersize
	112-0180-20	2	.020" Oversize		114-0188-30	4	.030" Undersize
	112-0180-30	2	.030" Oversize	8	RING SET, P	ISTON	
	112-0180-40	2	.040" Oversize				Spec J through N
			Begin Spec P		113-0165	2	Standard
	112-0185	2	Standard		113-0165-05	2	.005" Oversize
	112-0185-05	2	.005" Oversize		113-0165-10	2	.010" Oversize
	112-0185-10	2	.010" Oversize		113-0165-20	2	.020" Oversize
	112-0185-20	2	.020" Oversize		113-0165-30	2	.030" Oversize
	112-0185-30	2	.030" Oversize		113-0165-40	2	.040" Oversize
	112-0185-40	2	.040" Oversize				Begin Spec P
2	112-0112	2	Pin, Piston		113-0203	2	Standard
3	518-0294	4	Ring, Retaining - Piston Pin		113-0203-05	2	.005" Oversize
4	114-0203	2	Rod Assembly, Connecting		113-0203-10	2	.010" Oversize
5	805-0010	4	Bolt, Place		113-0203-20	2	.020" Oversize
6	114-0036	2	Bushing, Piston Pin		113-0203-30	2	.030" Oversize
0	114 0000	-	24031		113-0203-40	2	.040" Oversize

GEARCASE AND GOVERNOR




940-0222 (APRIL 1981)

GEARCASE AND GOVERNOR


REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	
1	103-0667	1	Cover Assembly, Gear (Includes Parts Marked *)	3
2	103-0408	1	Gasket, Gearcase Mounting	
3	509-0040	1	*Seal, Oil	
4	150-1187	1	*Yoke, Governor	
5	815-0046	2	*Screw, Machine - Pan Head	
3	615-0040	2	(#8-32 x 3/8" lg)	
	150 1540	1	*Arm and Shaft Assembly,	
6	150-1542	'	Governor	
7	E00 0000	1	*Seal, Oil	
7	509-0008			
8	510-0013	2	*Bearing, Needle	
9	510-0014	1	*Bearing, Ball - Governor Shaft	
10	516-0130	1	*Pin, Governor Cup Stop	
11	800-0032	4	Screw, Cap - Hex Head	
			Gearcase Mounting (5/16-18 x 1-3/4" long)	
12	526-0065	6	Washer, Flat (Copper)	
			Gearcase Mounting	
			(21/64" ID x 9/16" OD	
			x 1/16" Thk)	
13	516-0141	2	Pin, Gearcase Alignment	
14	STUD, SPE	ED ADJUS	STMENT	
	150-0796	1	Spec J	
	150-0096	1	Begin Spec K	
15	SPRING, GO	OVERNOR	3	
	150-0098	1	Spec J	
	150-1612	1	Begin Spec K	
16	150-1577	1	Bracket, Governor Mounting	
17		RNOR AF	RM TO CARBURETOR	
	150-1478	1	Spec J	
	150-0629	1	Begin Spec K	
18	150-0639	1	Ball, Joint	
19	149-0003	1	Gasket, Governor Bracket	
			Mounting	
20	518-0004	1	Clip, Retaining - Rod End	
21	800-0004	2	Screw, Cap - Hex Head Governor Bracket Mounting (1/4-20 x 5/8" long)	
22	526-0063	2	Washer, Flat (Copper)	
			Governor Bracket Mounting (17/64" ID x 7/16" OD 1/32" Thk)	
23	870-0131	1	Nut, Self Locking (1/4-20)	
24	800-0034	1	Screw, Cap - Hex Head	
_,			Gearcase Mtg. (5/16-18 x 2-1/4" long)	
25	870-0053	1	Nut, Hex (#10-32)	
26	150-0678	1	*Clip, Sensitivity	

^{* -} Parts Included in 103-0667 Gearcase Assembly.

AIR CLEANER - SPEC J ONLY




REF NO.	NO.	QTY. USED	PART DESCRIPTION
1	518-0056	-1	Screw, Wing (#10-32 x 1/2" lg)
2	140-1153	1	Cover, Air Cleaner
3	140-0495	1	Cartridge, Air Cleaner
4	503-0004	1	Clamp, Hose - Air Cleaner
5	503-0311	1	Clamp, Hose - Air Cleaner
6	503-0802	1	Hose, Air Cleaner
7	503-0274	1	Clamp, Hose - Sleeve to Adapter Mounting
8	140-1240	1	Sleeve, Air Cleaner Hose
9	145-0504	1	Adapter, Carburetor Air Inlet
10	503-0107	1	Clamp, Air Intake Adapter Mounting
11	140-1173	1	Bracket, Air Cleaner
12	821-0009	1	Screw, Self Locking - Hex Head (1/4-20 x 3/8" lg)
13	332-0142	1	Terminal, Lug - Ground
14	821-0010	1	Screw, Self Locking - Hex Head (1/4-20 x 1/2" lq)
15	856-0006	1	Washer, Lock - External/Internal
16	851-0011	1	Washer, Lock - Internal (1/2")
17	123-0733	1	Adapter, Tube - Breather Hose



REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-1520	1	Clamp, Air Duct	10	865-0019	1	Nut, Wing (1/4-20)
2	140-1502	1	Seal, Air Duct to Adapter	11	526-0158	2	Washer, Flat (17/64" ID x
3	518-0390	2	Screw, Wing (1/4-20 x 3/4")				5/8" OD x 1/16" Thk)
4	526-0021	1	Washer, Flat (17/64" ID x	12	870-0212	1	Nut, Hex - Locking (1/4-20)
			3/4 OD x 1/16" Thk)	13	816-0070	1	Bolt, Carriage (1/4-20 x
5	140-1503	1	Duct, Air Cleaner				6-1/2")
6	140-1531	1	Bracket, Air Duct Support	14	140-0495	1	Element, Air Cleaner
7	821-0009	6	Screw, Cap - Hex Head	15	140-1504	1	Cover, Air Cleaner
			Locking (1/4-20 x 3/8")	16	140-1522	1	Spacer, Air Intake
8	140-1521	1	Seal, Air Duct to Breather	17	140-1529	1	Bracket, Air Intake Duct
			Port	18	140-1528	1	Brace, Air Intake Duct
9	870-0212	2	Nut, Hex - Locking 1/4-20	19	140-1533	2	Seal, Air Cleaner Element


FUEL SYSTEM



FUEL SYSTEM


REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF NO.	PART NO.	QTY. USED	PART DESCRIPTION	
1	CARBURETO	R (See S	separate Group for Components)	22	509-0145	1	Seal, O-Ring -	
	146-0307	1	Spec J				Begin Spec K	
	146-0308	1	Begin Spec K	23	SCREW, CA	P - HEX H	IEAD	
2	154-0733	1	Gasket, Carburetor Mounting		800-0538	4	3/8-16 x 1-1/2" -	
3	MANIFOLD, I	INTAKE					Spec J	
	154-1861	1	Spec J		800-0058	4	3/8-16 x 3" -	
	154-1539	1	Begin Spec K				Begin Spec K	
4	154-1483	2	Gasket, Intake Manifold	24	800-0050	4	Washer, Lock - Spring (3/8")	
			Mounting	25	SCREW, CA	P - HEX H	HEAD	
5	140-1492	1	Adapter, Air Duct - Begin		800-0036	2	5/16-18 x 2-3/4" -	
			Spec K				Spec J	
6	ADAPTER, C	HOKE			800-0035	2	5/16-18 x 2-1/2" -	
	153-0489	1	Spec J				Begin Spec K	
	153-0499	1	Begin Spec K	26	850-0045	2	Washer, Lock - Spring	
7	153-0058	1	Housing, Choke				(5/16")	
8	153-0017	1	Element, Choke	27	SCREW, CA	P-HWH		
9	153-0114	1	Cover, Choke		821-0009	2	1/4-20 x 3/8" - Spec J	
10	332-0527	1	Terminal, Lug		821-0008	2	1/4-20 x 5/16" -	
11	PUMP, FUEL	- ELECT	RICAL (See Separate Group for				Begin Spec K	
	Components))		28	862-0015	1	Nut, Hex (5/16-18)	
	149-1553	1	Kit, Replacement - Spec J (Includes Parts Marked *)	29	804-0017	3	Screw, Cap - Socket Head (#10-32 x 1/2")	
	149-1541	1	*Begin Spec K	30	815-0359	2	Screw, Tapping - Hex with	
12	LINE, FUEL F	PUMP TO	CARBURETOR				ET (#10-32 x 7/8")	
	149-1417	1	Spec J	31	815-0285	2	Screw, Machine - Round Head	
	149-1531	1	Begin Spec K				with ET (#8-32 x 5/16")	
13	518-0350	1	Clamp, Loop - Fuel Line Insulated	32	526-0062	2	Washer, Flat - Brass · (.02" ID x 1/2" OD x 1/16")	
14	502-0002	1	*Elbow, Inverted Male	33	815-0110	1	Screw, Machine - Fillister	
15	502-0196	1	*Elbow, Street 90° - Spec K	34	850-0030	1	Head (#10-32 x 7/8") Washer, Lock - Spring (#10)	
16	502-0395	1	Connector, Hose - Spec K	35	526-0030	4	Washer, Flat (13/32" ID x	
17	502-0003	1	Connector, Inverted Male	•	020 0000		7/8" OD x 1/8")	
18	502-0082	1	Nipple, Pipe - Spec J Only	36	526-0022	1	Washer, Flat (21/64" ID x	
19	307-1257	1	Valve, Solenoid - Spec J Only				9/16" OD x 1/16")	
20	332-1506	1	*Connector, Fuel Pump Lead	37	502-0313	1	*Elbow, Adapter (90°) -	
			Begin Spec K				Begin Spec M	
21	332-0529	1	Terminal, Fuel Pump Lead - Begin Spec K	· - Par	ts Included in	the 149-1	553 Fuel Pump Replacement Kit.	

CARBURETOR PARTS (ADJUSTABLE MAIN JET)




REF NO.	PART NO.	QTY.	PART DESCRIPTION	REF NO.	PART NO.	QTY.	PART
			PLETE (Includes Mounting Gasket)			OOLD	DESCRIPTION
	146-0307	1	Spec J	8	146-0262	1	Float Package
	146-0308	1	Begin Spec K	9	146-0261	1	Idle Speed Adjusting
1	CHOKE SHA	AFT PACK	9				Screw Package
	146-0264	1	Spec J	10	146-0289	1	Valve and Seat Package
	146-0265	1	Begin Spec K	11	146-0209	1	Idle Needle Package
2	146-0142	4	Screw, Valve Mounting	12	146-0208	1	Spring, Buoyancy
3		1	Intake, Air (Not Sold Separately)	13		1	Body (Not Sold Separately)
4	146-0247	4	Screw, Body to Intake	14	JET. POWER		
5	146-0220	1	Kit, Gasket		146-0238	1	Spec J
6	THROTTLE	SHAFT PA	ACKAGE		146-0243	1	Begin Spec M
	146-0268	1	Spec J	15	146-0248	1	Power Needle Package
	146-0267	1	Begin Spec M	16	154-0733	1	Gasket, Carburetor Mounting
7	146-0222	1	Screw, Lever Pin		146-0290	1	Kit, Repair

FUEL PUMP (ELECTRIC) - BEGIN SPEC K




REF NO.	PART NO.	QTY. USED	PART DESCRIPTION
	149-1541	1	Pump, Fuel
1	149-1445	1	Filter
2	149-1447	1	Magnet
3	149-1446	1	Gasket, Cover
4	149-1453	1	Cover
5	149-1452	1	Plunger
6	149-0767	1	Spring, Plunger Return
7	149-1451	1	Spring Cup & Valve
8	149-1450	1	Gasket, Spring Cup
9	149-1449	1	Washer, Cup Gasket
10	149-1448	1	Retainer, Cup & Plunger

EXHAUST SYSTEM - SPEC J




REF.	PART NO.	QTY.	PART DESCRIPTION	REF NO.	PART NO.	QTY. USED	PART DESCRIPTION		
1	154-1864	1	Manifold, Exhaust	10	800-0034	2	*Screw Cap - Hex Head (5/16-18 x 3/4") - Optional		
2	155-1239 154-1578	2	Clamp, Muffler - Optional Tube, Exhaust - Optional	. 11	154-1888	1	*Shield, Heat - Exhaust - Optional		
4	800-0512	4	Screw, Cap - Hex Head (5/16-18 x 1")	12	821-0010	3	*Screw, Cap - Hex Head		
5	850-0045 154-1482	4 2	Washer, Lock-Spring (5/16") Gasket, Exhaust Manifold	13	154-1887	2	(1/4-20 x 1/2") - Optional *Bracket, Heat Shield Mounting - Optional		
7	155-1234	1	Bracket, Muffler Hanger - Optional	14	154-1915	1	*Shield, Heat - Optional		
8	155-1222	1.	Muffler, Exhaust - Optional	15	503-0107	1	*Clamp, Shield to Exhaust Tube - Optional		
9	155-1235	1	Tube, Muffler Exhaust - Optional	* - Parts are for UL Listed and CSA Certified Sets.					

EXHAUST SYSTEM - BEGIN SPEC K (UL LISTED AND CSA CERTIFIED)




REF.	PART NO.	QTY. USED	PART DESCRIPTION		REF NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	154-1967	1	Manifold, Exhaust		10	800-0034	2	Screw, Cap - Hex Head
2	154-1482	2	Gasket, Exhaust Manifold					(5/16-18 x 3/4") - Optional
			Mounting		11	800-0512	4	Screw, Cap - Hex Head
3	154-2226	1	Tube, Exhaust (90° Bend) -					(5/16-18 x 1")
			Begin Spec M - Optional		12	850-0045	4	Washer, Lock-Spring (5/16")
4	TUBE, EXH	AUST - OF	TIONAL		13	800-0030	2	Screw, Cap - Hex Head
	154-1917	1	Spec K					(5/16-18 x 1-1/4") - Optional
	154-2167	1	Begin Spec M		14	850-0045	2	Washer, Lock-Spring (5/16") -
5	154-2061	1	Gasket, Exhaust Tube -					Optional
			Optional		15	862-0015	2	Nut, Hex (5/16-18) - Optional
6	MUFFLER, EXHAUST - OPTIONAL				16	154-1972	1	Shield, Heat (Manifold) -
	155-1258	1	End Inlet					Optional
	155-1910	1	Center Inlet		17	SHIELD, HE	AT (EXHA	AUST TUBE) - OPTIONAL
7	155-1239	1	Clamp, Muffler - Optional			154-1980	1	Spec K
8	503-0107	1	Clamp, Shield to Exhaust			154-2146	1	Begin Spec M
			Tube - Optional		18	821-0010	3	Screw, Cap - Hex Head
9	BRACKET,	HEAT SHI	ELD MOUNTING - OPTIONAL					(1/4-20 x 1/2") - Optional
	154-1968	1	Right Side		19	155-1234	1	Bracket, Muffler Hanger -
	154-1069	1	Left Side					Optional

IGNITION SYSTEM




REF.	PART	QTY.	PART DESCRIPTION	REF.	PART NO.	QTY.	PART DESCRIPTION
NO.	NO.	USED	DESCRIPTION	140.	140.	OSLD	500 CON 1 15 CO 10
1	166-0643	1	Coil, Ignition	7	856-0003	1	Washer, Lock - External/Internal
2	166-0588	1	Clamp, Ignition Coil Mounting				Condenser Mounting (#10)
3	LEAD, SPAF	RK PLUG	ELECTRICAL				Spec J
	167-1595	1	14-1/2" lg - Spec J	8	815-0350	1	Screw, Tapping - Hex Washer
	167-1596	1	7-1/2" lg - Spec J				Head - Condenser Mtg.
	167-1596	2	7-1/2"- Begin Spec K				(#10-32 x 3/8" lg) - Spec J
4	PLUG, SPAR	RK		9	870-0131	1	Nut, Hex - Coil Bracket
	167-0247	2	Spec J				Mtg. and Condenser (#10-32)
	167-0292	2	Spec K through Spec N	10	160-1210	1	Box Assembly, Breaker -
	167-0291	2	Begin Spec P				Complete (See Separate
5	312-0017	1	Condenser, Ignition (.5 MFD)				Group for Components)
6	821-0004	1	Screw, Cap - HWH (#10-32 x	11	160-0558	2	Nipple, Spark Plug Cable
			5/16")	12	850-2005	1	Washer, Flat (Special)
				13	166-0554	- 1	Nut, Head (Special)

BREAKER BOX ASSEMBLY



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
	160-1210	1	Box, Breaker (Includes Parts Marked *)	8	802-0034	2	*Screw, Cap (1/4-20 x 3/4") - Socket Head
1	802-0022	1	*Screw, Cap - Hex Socket	9	850-0040	2	*Washer, Lock (1/4")
			(#10-24 x 1-1/2")	10	160-1183	1	*Point Set, Breaker
2	509-0065	1	*Retainer ("O" Ring)	11	160-1219	1	*Base, Breaker
3	526-0008	1	*Washer, Flat (13/64" ID x	12	160-1150	1	*Gasket, Breaker Box
			7/16" OD x 1/32" Thk)	13	160-1151	1	Plunger, Breaker Points
4	160-1285	1	*Cover, Breaker Box	14	336-2378	1	Lead, Breaker Box to Coil
5	815-0358	1	*Screw, Cap (#8-32 x 5/16") - Slotted		160-1213		Tune Up Kit (Includes Points and Condenser)
6	850-0025	1	*Washer, Lock (#8)				
7	312-0196	1	*Condenser	* - P	arts Included	in 160-12	10 Breaker Box.

AIR HOUSING



REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
1	HOUSING,	BLOWER		9	821-0010	2	Screw, Self-Locking - Hex
	134-3312	1	Spec J through N				Head - Cylinder Air Housing
	134-4095	1	Begin Spec P				Mounting (1/4-20 x 1/2" lg)
2	517-0021	1	Plug, Button	10	821-0010	4	Screw, Self-Locking - Hex
3	HOUSING,	CYLINDER	R AIR (LEFT SIDE)				Head - Scroll Backplate
	134-2755	1	Spec J through N				Mounting (1/4-20 x 1/2" lg)
	134-3617	1	Begin Spec P	11	821-0010	5	Screw, Cap - HWH
4	HOUSING,	CYLINDER	R AIR (RIGHT SIDE)				(1/4-20 x 3/8")
	134-2752	1	Spec J through N	12	821-0009	3	Screw, Self-Locking - Hex
	134-3618	1	Begin Spec P				Head - Scroll Cover Mounting
5	134-2761	1	Scroll, Air (Includes Guard)				(1/4-20 x 3/8" lg)
6	134-3119	1	Cover, Scroll	13	815-0261	6	Screw, Tapping - Hex Head -
7	134-2747	1	Backplate, Scroll				Cylinder Air Housing
8	134-2763	1	Guard, Scroll				Mounting (1/4-20 x 7/16" lg)